

MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

TRADE NAME: **ProCoat Stripper** Manufactured By:
Synonym/Chemical/Common Genesis Coatings
Name: ProCoat No Rinse Stripper 2780 La Mirada Dr, #B
DOT proper shipping name: Vista, CA 92081
Compound/Cleaning liquid (non- (800) 533-4273
HazMat)

Date prepared or revised: 12-09-02

II. HAZARDOUS INGREDIENTS

<u>Chemical Identity</u>	<u>CAS #</u>	<u>% WT</u>	<u>Toxicity Data</u>
Butyl Cellosolve*	111-76-2	17.0%	TLV = 121 mg/m ³ in air
Monoethanolamine	141-43-5	5-10%	TLV = 7.5 mg/m ³ in air

This product contains no chemical at a level that poses a significant risk as defined by California Proposition 65.

*This chemical is subject to reporting requirements of Title III SARA, section 313 of EPCRA (40 CFR 372).

III. PHYSICAL PROPERTIES

BOILING/MELTING POINT @ 760 MM HG: 212°F
FREEZING POINT: 32°F
pH (UNDILUTED): 11.5
VAPOR PRESSURE MM HG @ 20°C: 17.2 mm Hg
VAPOR DENSITY (AIR = 1): <1.5
PERCENT VOLATILE BY WEIGHT (%): N/D
SPECIFIC GRAVITY OR BULK DENSITY (H₂O=1): 0.994
SOLUBILITY IN WATER: Complete
EVAPORATION RATE (H₂O=1): 1.0
APPEARANCE/ODOR: Clear liquid with mild solvent odor

IV. FIRE AND EXPLOSION

FLASH POINT °F: Nonflammable
FLASH POINT TEST METHOD: N/A
FLAMMABILITY LIMITS: N/A
EXTINGUISHING MEDIA: Treat primary fire
SPECIAL FIRE EXTINGUISHING MATERIALS: None
UNUSUAL FIRE & EXPLOSION HAZARDS: None

V. REACTIVITY DATA

PRODUCT STABILITY: Stable
CONDITIONS TO AVOID: None
CHEMICAL INCOMPATIBILITY: None
HAZARDOUS DECOMPOSITION PRODUCTS: None
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID: None are known

VI. HEALTH HAZARD / FIRST AID

PRIMARY ROUTES OF ENTRY: None
SIGNS & SYMPTOMS: Product is irritating to unprotected skin and is extremely irritating to eyes.
FIRST AID: *Skin:* Flush with large amounts of water. *Eyes:* flush with water for at least 15 minutes.
Contact a physician if irritation persists.
There are no known chronic health effects caused by the use of this product.

VII. PRECAUTIONS FOR SAFE HANDLING

RESPIRATORY PROTECTION: None Required.
VENTILATION: Use with adequate ventilation.
PROTECTIVE CLOTHING: Solvent resistant gloves for prolonged or repeated use.
EYE PROTECTION: Safety glasses to guard against splashing in eyes.

VIII. SPILL, LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE OF SPILL: Spill area will be slippery until spilled material is removed. Remove with rags, mops or by flushing with water.
WASTE DISPOSAL: Follow all local, state and federal waste disposal regulations.
SPECIAL STORAGE OR HANDLING PRECAUTIONS: Do not expose to freezing temperatures.

IX. HMIS RATING

0 = Insignificant	Fire: 0
1 = Slight	Health: 2
2 = Moderate	Reactivity: 0
3 = High	Special Hazard: B
4 = Extreme	

X. USER'S RESPONSIBILITY

The responsibility to provide a safe work place remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.